

© Copyright 2014 Calibre Style Ltd

All rights reserved (including without limitation: copyright, patent rights, registered design rights, unregistered design rights and any other rights available to Calibre Style Ltd worldwide).

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without prior permission of Calibre Style Ltd.



2500mAh

ULTRA'GO nano

Plug to power on. Plug to power up.

6000mAh

ULTRAGO DUO

Designed to fulfil diversify power in the same time

3500mAh

ULTRA'GO mini

Lasting your entertainment and fun longer





ULTRA'GONANO POWER STATION





ULTRA'GO nano

Power Capacity	2500 mAh
Input	5V / 1A
Output	5V / 1A
Product Dimension	80 x 55 x 10 mm
Product Weight	89 g
Charge Cycles	Over 800 cycles
Material	Aero-grade aluminium alloy





Height: 80 mm (3.14 inches)

Width: 55 mm (2.16 inches)

Depth: 10 mm (0.39 inches)

Weight: 89 g (3.13 ounces)





Professional form of packaging is designed to give the consumer full sight of the product including size, shape, material and colour, making it highly visible from both front and back. Unlike the conventional vertical design applied in most packages, the 30-degree tilt angle offers maximum visibility from the front and further displays a three-dimensional (3D) view of the product, much like a masterpiece of art beautifully displayed in a window!







What's inside

ULTRA'GO nano

USB to Micro USB Cable

Protective Pouch

User Guide

World's smallest of its kind Smaller than a credit card









Auto-Detect ON/OFF

Charging starts automatically when you connect your device to the ULTRA'GO nano Power Station and when your device is fully charged or the charging cable disconnected, ULTRA'GO nano stops and turns off automatically







ULTRA'GO mini

Power Capacity	3500 mAh
Input	5V / 1A
Output	5V / 1A
Product Dimension	77 x 77 x 10 mm
Product Weight	139 g
Charge Cycles	Over 800 cycles
Material	Aero-grade aluminium alloy



Height: 77 mm (3.03 inches)

Width: 77 mm (3.03 inches)

Depth: 10 mm (0.39 inches)

Weight: 139 g (4.90 ounces)



Professional form of packaging is designed to give the consumer full sight of the product including size, shape, material and colour, making it highly visible from both front and back. Unlike the conventional vertical design applied in most packages, the 30-degree tilt angle offers maximum visibility from the front and further displays a three-dimensional (3D) view of the product, much like a masterpiece of art beautifully displayed in a window!



What's inside

ULTRA'GO mini

USB to Micro USB Cable

Protective Pouch


User Guide





Style & Minimalism

Less is more, minimalist design can achieve beautiful results. More than 20 numerous and distinctive steps are required in the production process to obtain the ultraslim aluminium body that is smaller than your pocket.










ULTRA'GO DUO

Power Capacity	6000 mAh
Input	5V / 1A
Output	5V / 3.1A
Product Dimension	120 x 63 x 10 mm
Product Weight	185 g
Charge cycles	Over 800 cycles
Material	Aero-grade aluminium alloy



Height: 120 mm (4.72 inches)

Width: 63 mm (2.48 inches)

Depth: 10 mm (0.39 inches)

Weight: 185 g (6.52 ounces)



Professional form of packaging is designed to give the consumer full sight of the product including size, shape, material and colour, making it highly visible from both front and back. Unlike the conventional vertical design applied in most packages, the 30-degree tilt angle offers maximum visibility from the front and further displays a three-dimensional (3D) view of the product, much like a masterpiece of art beautifully displayed in a window!



What's inside

ULTRA'GO DUO

USB to Micro USB Cable

Protective Pouch

User Guide

